

# MIXER SEMI TRAILER

*Special For Task*





  
**curious for better.**  






# ***What curiosity means to us, A better future.***

The unique reason that the human “bring into being” is curiosity. Curiosity is the first “set a foot on the moon”. Because curiosity; to realize a better and more beautiful future, ask questions, try to understand, produce innovative solutions, explore and never give up. It always takes us a step further.

Our job is always to move your business “one step forward”. That’s why we’re curious. We recognize the needs of the trailer and superstructure equipment sector “before needs appearance” and produce innovative, user friendly and efficiency based products. We dominate the technologies that can go beyond your expectations. Due to our curiosity, we have changed the habits of the sector with every new project we made. We have broken grounds; but we have never been curious about being ahead only with the numbers.

The quality documents we have obtained being a catalyser that enable us to produce new technologies, make progress and be more curious. We curious not just about our sector, we curious about the whole world. For the nonce we are in 3 continents. We are constantly building strong values and collaborations for all of our stakeholders by producing special solutions for the needs of new geographies day by day.

Curiosity means to us not only innovation, engineering and technology. It means to us more beautiful and profitable day for the future.







■ **MIXER**  
**SEMI TRAILER**



# Special For Task

---

*Suitable for working region's road and climate conditions related to the ready-mixed concrete sector, which is developed considering the general transportation loading and unloading operation needs of the construction sector, Mixer Semi Trailer which enables the transportation of loads on the highway in a safe, fast, robust, economical and efficient way; durable, long life, safe, high strength, unique chassis structure that is obtained by combining with uninterrupted, excellent welding performance, it is a good teamplayer which is designed for the task.*

---



**12 ~ 15 m<sup>3</sup>**  
**Mikser Kapasitesi**



**25 ~ 50 Ton**  
**Taşıma Kapasitesi**























# TECHNICAL SPECIFICATIONS

---

## 1. Dimensions

**Width** : max. 2.550 mm.

**Height** : max. 3.020 mm.

**Axle Distance** : 1.300 ~ 1.400 mm \*

**King-Pin Height** : 1.250 mm \*

**Dead Weight** : 7.900 kg. ± %5

**Tires** : 385/65 R 22,5

**Brake System** : EBS brake system conforming to ECE R 13 regulation  
regulation

**Electric System** : Electrical set suitable for ECE R 105 regulation

**Bumper** : Suitable for ECE R 58 regulation

## 2. Capacity

**Mixer Volume** : 12 - 14 m<sup>3</sup>

## 3. Chassis Equipment

**King-Pin** : Compliant with ECE R55 regulation, type approved,  
Removable from 2" bottoms

**Landing Legs** : Each is double speed, 25 ton dynamic,  
50 ton static load capacity trailer landing legs

**Axles** : Axle set with 9 ton each, mechanical  
or air suspension, drum or disc brake

**Rims** : 11,75 x 22,5



# TECHNICAL SPECIFICATIONS

---

## 4. Chasis

- » Suitable for body design, welded to steel flat, special design with overturning safety, steel monobloc chassis
- » Connection brackets on the chassis side arm reduce the stress by distributing the force coming from the road conditions to the walking group.
- » Chassis construction parts are manufactured with synergy welding machines by certified welders under the approval of ISO 3834 Welded manufacturing quality qualification with perfect conformity.

## 5. Paint

- » At least 2 coats of epoxy primer.
- » OVEN-DRYING" application on topcoat with 2 coats of acrylic paint.
- » Improved technical equipment ensures homogeneous distribution on each side of the body and surface gloss of varnish paint gloss.





OKT TRAILER

OKT TRAILER



# GALLERY











# What curiosity means to us, A better future.



ME.1118.1502.120.18.00

OKT TRAILER reserves the right to make changes in the products. Technical information is approximate and is intended for standard product application. The measurements may vary depending on the truck brand and model. The subject information is not quoted, if you contact us, you can get more detailed information about the product.



ATAOSB Mah. ASTİM 3. Cad. No: 7, 09010 Efeler, Aydın / TÜRKİYE  
T : +90 850 850 1 658 • F : +90 256 231 0 516 • info@okt-trailer.com • www.okt-trailer.com



/okt.trailer



/okt.trailer



/company/okt-trailer



/okttrailer



**OKT Trailer**